

**DRUG FACTS**

Active ingredient(s)

Purpose

**Use(s)**  
temporarily relieves

- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the impulse to cough to help you get to sleep

**Warnings**

**Do not use**  
**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- chronic cough that lasts as occurs with smoking, asthma or emphysema
- cough that occurs with too much phlegm (mucus)

**Ask a doctor or pharmacist before use if you are**

**When using this product**

**Stop use and ask a doctor if**  
**Stop use and ask a doctor if** cough lasts more than 7 days, cough comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding**

**Keep out of reach of children**  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

<b>Directions</b> <ul style="list-style-type: none"><li>shake bottle well before use</li><li>measure only with dosing cup provided. Do not use dosing cup with other products.</li><li>dose as follows or as directed by a doctor</li></ul>	
adults and children 12 years of age and over	10 mL every 12 hours, not to exceed 20 mL in 24 hours
children 6 to under 12 years of age	5 mL every 12 hours, not to exceed 10 mL in 24 hours
children 4 to under 6 years of age	2.5 mL every 12 hours, not to exceed 5 mL in 24 hours
children under 4 years of age	do not use

**Other information**

- each 5 mL contains: **sodium 7 mg**
- store at 20°-25°C (68°-77°F)
- dosing cup provided

**Drug Facts**  
Distributed by: Reckitt Benckiser Inc., Parsippany, NJ 07054-0224 ©RBI 2009

**Inactive ingredients**  
citric acid, edetate disodium, ethylcellulose, FD&C Yellow No. 6, flavor, high fructose corn syrup, methylparaben, polyethylene glycol 3350, polysorbate 80, propylene glycol, propylparaben, purified water, sucrose, tragacanth, vegetable oil, xanthan gum